

ATEN CM1164A

ProdCode: ATENCM1164A

4-Port USB DVI Multi-View KVMP® Switch



[\[Download Images\]](#) (.zip file)

Features

- 4-Port USB DVI Multi-View KVMP™ Switch
- Multi-view console controls up to four video sources on one screen with display modes including Quad View, Picture in Picture (PiP), Picture by Picture (PbP), and Picture on Picture (PoP)
- Easily resize and / or reposition any PiP or PbP to suit users' viewing needs; Supports superior video quality – up to 1920 x 1200; YCbCr 4:2:2
- DCC (Daisy Chain Control) — Controls up to 3 additional CM1164A units from a single console; Cascade up to 2 levels — Controls up to 16 computers (with up to 4 x 4 Multi-view mode)
- Boundless Switching – simply move the mouse cursor across windows to switch to other video sources even among the daisy chained installation

The CM1164A allows for connection of up to 4 DVI computers and one DVI display, facilitating real-time monitoring of multiple video sources on a single multi-view window, with up to FHD (1920 x 1200) visual quality. Multiple video sources can be selected, switched and displayed simultaneously with independent keyboard and mouse control. This innovative Multi-View KVMP™ Switch is also equipped with a

2-port USB hub permitting each computer to access connected peripherals while the USB peripheral switching can be independent of the KVM focus, making desktop multitasking truly effortless and productive.

- **Versatile Display Modes**

Even with just a single display, multi-sourced video data can be displayed in various display modes – Full Screen, Quad View, PiP (picture in picture), PbP (picture by picture), and PoP (picture on picture), improving operational efficiency without missing any important details.

- **Intuitive Boundless Switching**

ATEN's Boundless Switching features instant access and control to target any video source by allowing the mouse cursor to move across window borders boundlessly and seamlessly.

Daisy Chain & Cascade Support

With Daisy Chain Control (DCC) capability, the CM1164A can control 3 additional CM1164A units (up to 16 video sources) via a single console.

Furthermore, it can also be cascaded up to 2 levels by connecting additional 4 CM1164A units (up to 16 video sources) via a single console with video displayed in up to 4x4 multi-view mode.

Applications

The CM1164A Multi-View KVMP™ Switch is ideal for desktop operations in time critical scenarios that require real-time monitoring of multiple video sources and a prompt responsive approach, such as control-desk applications in broadcast or surveillance environments.

In the box:

- 1x CM1164A 4-Port USB DVI Multi-View KVMP™ Switch
- 4x KVM Cables (DVI-D, USB, Audio)
- 1x Power Cord
- 1x IR Remote Control
- 1x Rack Mount Kit
- 1x User Instructions

Need Further Support?

If you have any questions or require additional support regarding this product release,

please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.