

# ATEN KL1516AM

**ProdCode: ATENKL1516AM**

16-Port Multi-Interface Cat 5 Dual Rail LCD KVM Switch - 17inch LCD



[\[Download Images\]](#) (.zip file)

## Features

- 16-Port Multi-Interface Cat 5 Dual Rail LCD KVM Switch - 17inch LCD
- Exclusive LED illumination light - designed by ATEN to illuminate the keyboard and touchpad to allow visibility in low-light conditions
- Dual Rail housing is slightly less than 1U with top and bottom clearance for smooth operationmm in 1U of rack space
- Space-Saving RJ-45 connectors and Cat 5e / 6 cabling
- Superior Video Quality- Supports the video resolutions up to 1280x1024@75 Hz for up to 50 meters

KL1516AM LCD KVM Switch features independently retractable, dual slide 17" or 19" LED-backlit LCD monitor and keyboard with built-in touchpad. The KL1516AM KVM switches are control units that allow IT administrators to access and control multiple computers from the LCD console and an extra PS/2 or USB KVM console.

For increased reliability and efficiency, RJ-45 connectors and Cat 5e / 6 cable are used to link to the computers. Utilizing KVM Adapter Cables for the final linkup, the KL1516AM permits any combination of PCs, Macs, Sun computers, and serial devices

to coexist on the installation.

These switches have been designed with unique and powerful features that enable administrators to manage their entire server room and data center devices easily and conveniently.

For example, the advanced Adapter ID feature stores the Adapter Cable's configuration information – such as its ID, port name, OS, keyboard language, etc. This feature allows administrators to relocate servers to different ports without having to reconfigure the adapters. Other advances found with these switches includes enhanced video quality – extending the distance to the servers to up to 50 m at a resolution of 1280 x 1024.

A KL1516AM installation provides one of the best and most economical solutions ATEN offers to the SMB market. There is no better way to save time, space, and money than with a KL1516AM KVM switch.

Note:

\*Optional rack mount kits are available.

\*The KL1516AM does not support virtual media even when paired with a virtual media-enabled KVM adapter.

#### **In the box:**

- 1x KL1516AM 16-Port Cat 5 High-Density Dual Rail LCD KVM Switch with Standard Rack Mount Kit
  - 1x Firmware Upgrade Cable
  - 1x Power Cord
  - 2x L Brackets
  - 1x User Instructions
- 

#### **Need Further Support?**

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

#### **Contact Us:**

- Marketing - [marketing@holdan.co.uk](mailto:marketing@holdan.co.uk)
- Sales - [sales@holdan.co.uk](mailto:sales@holdan.co.uk)
- Technical Enquiries - [techsales@holdan.co.uk](mailto:techsales@holdan.co.uk)

- Request Demo product loans - [demo@holdan.co.uk](mailto:demo@holdan.co.uk)

We value your partnership and are committed to ensuring a successful product launch.  
Thank you for your continued support.