

Datavideo HS-3200

ProdCode: DATAHS3200

12-Channel HD Portable Video Streaming Studio



[\[Download Images\]](#) (.zip file)

Features

- Simultaneous Live HD Streaming & Recording
- Support different bitrate for recording and streaming
- 4 Upstream Keyers, supporting Chroma key & Linear / Luma key
- 8 PIP (4 flex source included)
- 2 DSK, supporting Linear & Luma Key Modes
- 2 Logo insertion (Animation logo, X/Y size)
- Wipe, Mix, DVE, Cut and Stinger Transitions
- 32 Wipe patterns including Circle & Heart, and Borders & Softness Control
- Clip player (150 Frames) Stinger Transitions function
- Any Input (1-12) can be used as a Frame store (Stills Store)
- Support XPT (Cross Point Assignment)
- Tally output
- USB Port for FW upgrade
- One 17.3-inch with a resolution of 1920x1080

Specifications

- **Video Format:** 1080p 50/59.94/60Hz | 50/59.94/60Hz | 720p 50/59.94/60Hz
- **Input Rutable / Crosspoint:** All 12, repeatable
- **Video Input:** 8x 3G-SDI, 4x HDMI
- **Computer Graphic Interface:** 4 via HDMI
- **Video output:** 5x SDI assignable: PGM, PVW, PGM Clean & multiview, Input 1-12 | 4x HDMI (3x PGM + 1x assignable)
- **Audio input:** 4x Balanced XLR | **Audio output:** 2x Balanced XLR
- **Embedded audio support:** Input up to 16 channels, Output 4 channels
- **Audio Delay Calibration:** Up to 16 frames
- **Picture in Picture:** 4 | **Logo Insertion:** 2
- **Streaming Video Encode:** H.264 / AVC, Main/ High Profile Configurable Bit-rate up to 10Mbps
- **Streaming Audio Encode:** AAC-LC Configurable bit rate range from 32Kbps to 384Kbps | Sample rate: 48KHz, 16bit
- **Streaming Protocol:** TS over TCP/UDP (unicast & multicast) | RTSP over HTTP/TCP/UDP (RTSP Elementary Streaming) | RTMP (Publish)
- **Streaming Control:** Web browser UI for configuration and control Socket commands
- **Recording file system:** FAT, exFAT, NTFS | **Recording file format:** MP4
- **Recording Setting Control:** Web UI for system configuration and control
- **Dimension (LxWxH):** 455 x 355 x 134 mm
- **Weight:** 18.7 Lbs (8.5 Kg)

HS-3200 is a 12 channel professional mobile hand carry switcher with 1080p/60 (3G) HD support. It features easy-to-use video streaming and recording for video producers who need to simultaneously stream a live event and record the master quality version for post-event editing.

HS-3200 is a lightweight, portable and powerful featured mobile studio solution which is designed for live events and live programming that need to mix a variety of video and audio sources. HS-3200 is also a great value solution for the worship, education and AV market.

HS-3200 also has powerful, easy to use effects including Chromakey, DSK, PIP, DVE, Wipe Generator, Still stores, logo insertion.

Advanced features include a 17.3-inch Full HD 1080p video monitor which displays the multi-view. The multi-view includes all the input sources, as well as preview and program.

In the box:

- 1 x HS-3200

- 1 x AD switch DC 12V with AC Cord
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.