

Datavideo ITC-300

ProdCode: DATAITC300P

Digital 8 Channel Intercom System



[Download Images] (.zip file)

Features

- Digital 8 Channel Intercom System
- A revolutionary design transmits two ways talk, and tally over single CAT cable
- Supports 8-Way digital wired Intercom
- Communication distance up to 100 meters
- Selectable channel talk, broadcast to all, or mute
- Additional external earphone and microphone interface
- Industry Standard 19" 1U rack design, for easy integration
- Support cascading for more channels
- Bi-colour tally light indicator
- Supplied with Gooseneck Microphone and Light

Specifications

Power: 12V

• Tally: 2 x 15 Pin D-Sub Female Sockets for Tally A and Tally B

• MIC / Headset: 1 x 3.5mm Stereo Jack Socket (For Headphone / Microphone combination) | Headset Impedance 8~600 ohms 100mW (min)

- **Headphone:** 1 x 1/4" (6.3mm) Stereo Headphone Socket | Headset Impedance 8~600 ohms 100mW (min)
- Light Socket (DC 12V): Light Power Consumption +5 V / 500 mA
- **Microphone:** 3 Pin XLR / 1/4" (6.3mm) Socket x 1 | Switchable Condenser / Dynamic | Input Microphone Level -67dB | PIN1:N/A,PIN2:MIC,PIN3:GND
- Frequency Response: 300 Hz-7 KHz, < +/-3dB
- **THD:** < 0.1% @1KHz
- **S/N**: >70dB
- **Built-in Speaker:** 3W | Speaker is mute when headphones or mic / headset are connected to the ITC-300
- Operating Range: Up to 100m between Base Station and Slave
- Operating Temp. Range: 5~45 °C

The Datavideo ITC-300 is an 8-channel single wired communication system, featuring power over Ethernet to 8 belt packs. The video director can select to talk to an individual channel or to all channels simultaneously.

The ITC-300 is a standard 19" 1U rackmount design, so it is easy to integrate into any rack system for using in the field or in the studio.

In the box:

- 1 x ITC-300
- 4 x ITC-300SL Belt Pack
- 4 x Ethernet Cable
- 4 x Earphone Cable
- 4 x Headset with microphone
- 1 x Gooseneck Microphone
- 1 x Tally LED Indicator
- 4 x Velcro
- 1 x USB Gooseneck Light
- 1 x Adaptor + AC Cord

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

• Marketing - marketing@holdan.co.uk

- Sales sales@holdan.co.uk
- Technical Enquiries techsales@holdan.co.uk
- Request Demo product loans demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.