

Datavideo RMC-2P

ProdCode: DATARMC2P

3-Channel Camera Controller with Plate



[\[Download Images\]](#) (.zip file)

Features

- 3-Channel Camera Controller with Plate
- Precise PTZ Control
- 3-Axis Joystick for Effortless Pan, Tilt, and Zoom Control
- PoE (PD) IEEE 802.3af Support for a Clean Setup
- Control Up to 3 Cameras with Precision
- Each Camera Can Store Up to 4 Presets for Perfect Shots
- DVIP Control for Unparalleled Functionality

Precise PTZ Control: Simple, Professional, and Effortless

RMC-2P is a simple yet versatile camera controller designed for controlling Datavideo PTZ series cameras via DVIP. With the push of a button, you can quickly access four preset positions for each camera and effortlessly pan, tilt, and zoom using the joystick. It can be used in conjunction with a TPC-700 touch panel controller or the iCast mini.

Masterful Camera Maneuvering: 3-Axis Joystick for Effortless Pan, Tilt, and Zoom Control

The Datavideo RMC-2P comes equipped with a 3-axis joystick, which provides intuitive and real-time control over the pan, tilt, and zoom functions of the connected cameras. This ergonomic joystick allows users to perform smooth and accurate camera movements, ensuring precise framing and capturing of the desired shots. It offers a tactile and responsive interface, making it easy for operators to achieve professional-level camera control.

Powerful and Effortless Integration: PoE (PD) IEEE 802.3af Support for a Clean Setup

The RMC-2P camera controller features support for Power over Ethernet (PoE) IEEE 802.3af. PoE is a technology that allows devices like the RMC-2P to receive power and data over a single Ethernet cable, simplifying installation and reducing the need for additional power adapters or cables. This PoE support enables a clean and streamlined setup, making it easier to integrate the RMC-2P into existing network infrastructures.

Seamless Multi-Camera Management: Control Up to 3 Cameras with Precision

With the Datavideo RMC-2P, you can effortlessly manage and control up to three cameras simultaneously. This capability is particularly beneficial in multi-camera setups, such as live events, conferences, or broadcasts. By connecting three cameras to the RMC-2P, users can switch between cameras and control their movements with ease, ensuring smooth and dynamic coverage of the event or production.

Instant Precision Positioning: Each Camera Can Store Up to 4 Presets for Perfect Shots

The RMC-2P camera controller allows users to set and store up to four presets for each connected camera. A preset is a predefined position that a camera can be programmed to move to instantly. For instance, you can save presets for different framing options or specific areas within your shooting environment. This feature enables quick and precise camera positioning, which is especially valuable in live productions where fast camera movements are necessary.

Unleash Advanced Camera Potential: DVIP Control for Unparalleled Functionality

Datavideo products can be found in various applications including broadcast, house of worship, education, live concert events, esports, and self-media production. Only Datavideo offers end-to-end professional live video solutions under one brand name for integrators, production companies, and end-users.

Intuitive Control Made Easy: Compatible with the Touch Panel TPC-700P and iCAST Mini

Compatible with the touch panel TPC-700P and iCAST mini via USB port: The Datavideo RMC-2P camera controller is designed to work seamlessly with the TPC-700P touch panel controller and iCAST mini presentation switcher.

This means you can connect a TPC-700P or an iCAST mini to the RMC-2P using a simple USB cable. The RMC-2P lets users easily control the PTZ Camera, which connects with TPC-700P and iCAST mini.

Enhanced Stability with Aluminium Base Plate

Upgrade your camera control experience with the Datavideo RMC-2P. Featuring an aluminium base plate with anti-slip pads and a built-in magnet, this addition ensures your controller stays firmly in place, eliminating any unwanted movement during operation. Say goodbye to slipping and sliding – the RMC-2P's stable platform lets you focus on capturing the perfect shot with confidence and precision.

In the box:

- 1x RMC-2P main unit
 - 1x USB type C to type A cable
 - 1x Bottom Plate
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.