

Datavideo TC-200

ProdCode: DATATC200

HD / SD Character Generator Kit



[\[Download Images\]](#) (.zip file)

Features

- Includes TC-200 (Overlay box) & CG-200 (Character Generator Software)
- Live Title Generator
- No additional PCI card required
- Supports DSK function (via HDMI) or SDI overlay function
- Support HD/SD SDI input and output in Overlay mode
- Supports HD video with 1080i 50/59.94/60; 720p 50/59.94/60
- Supports SD video: 576i/480i
- Title editing on laptop
- Compatible with Windows 7/8
- Supports all Windows fonts
- Multi-language support
- Supports animation including JPG, TAG, GIF, BMP, PNG
- Supports scrolling
- Title editing patterns include Slide, Reveal, etc.
- Easy logo set up
- TC-200 working voltage is 7-15V . It can be used with 7.2 V & 14.4 V batteries

Datavideo's CG-200 and TC-200: an innovative HD CG system for mobile broadcasting, live conferences and dynamic video presentations. Using a standard laptop, it enables users to create and deliver attractive on-screen graphics and titles in real-time. It is easy to operate, designed to be intuitive and responsive under the pressure of a live event. CG-200 and TC-200 works with standard Windows laptops with an HDMI interface and supports vision mixers with and without a DSK. Until now, real-time PC titling software has required an additional SDI adapter card to be fitted into a desktop PC. For live programming on location, a computer-based character generator can be problematic, in terms of the physical bulk of the PC, the need for an additional screen and the power requirement. CG-200 and TC-200 makes professional CG on the run a reality.

DSK mode

As software only, CG-200 and TC-200 can work with a vision mixer equipped with a DSK. In this mode, CG-200 and TC-200 can be set up as the key source or fill source. It can work with any vision mixer (such as the Datavideo SE-2800 and SE-3000) that has a downstream keyer (DSK).

Overlay mode

The Title Overlay mode overcomes the lack of a DSK in the vision mixer. Using the small external TC-200 hardware unit, The HDMI output from the laptop is embedded with the SDI output from a camcorder, VTR or vision mixer.

In the box:

- 1 x TC-200
- 1 x AD Switch DC 12V
- 1 x CG-200 Utility CD w/ CD Bag

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk

- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.