

Datavideo OBV-4000

ProdCode: DATATOBV4000

4K 8-channel mobile broadcast solution



[Download Images] (.zip file)

Features

- 4K 8-channel mobile broadcast solution
- Transportable Solution for Both In-Studio and On-Location Productions
- Ideal for video switching, communication, recording, intercom, video transmission, audio delay, and scope monitoring

The Datavideo OBV-4000 is a powerful, mobile broadcast solution designed to fit into the back of a small van, providing comprehensive production facilities for both in-studio and on-location shoots. Built around a cutting-edge 4K switcher, the OBV-4000 supports up to 8 channels of 2160p UHD 12G-SDI and HDMI video signals. The system is housed in a rugged aluminium casing and integrated into a sturdy rack with a newly designed Console Desk, ensuring stability and protection during transport and use.

Equipped with essential features such as video switching, communication, recording, intercom, video transmission, audio delay, and scope monitoring, the OBV-4000 is ideal for broadcasters and video professionals who require a reliable, transportable solution that can adapt to various production environments. Its design also allows for

future system expansion, making it a versatile tool in the evolving landscape of multimedia production.

Kit Includes

SE-4000

8-Channel 4K Live Switching

Experience broadcast-grade UHD 4K50/60P quality with the MS-4000's 12G-SDI and HDMI 2.0 input interfaces. The device combines physical full-function buttons with a sleek 5-inch full-color LCD touchscreen. Key features include quad split composition, XPT (Cross Point), AUX output, special effects transitions, PiP (Picture-in-Picture) caption overlays, logo insertion, and audio mixing settings.

ITC-300

New Digital Intercom Function

Stay connected with the reliable wired digital intercom system, offering 8 channels of clear, noise-free communication. No more worries about interference or disconnections, ensuring smooth operation during live productions.

TLM-170K

4K UHD 17.3-inch LCD Monitoring

Monitor your production in stunning detail with the high-quality 3840 x 2160 resolution LCD screen. The 17.3-inch display supports 12G-SDI and HDMI 2.0 loop inputs and outputs, making it ideal for broadcast and live production applications.

HDR-90

ProRes 4K Recording Function

Capture every moment in ultra-high definition with the ProRes 4K recording capability, supporting 2160p 60 resolution. The MS-4000 can record multiple 1080p video streams simultaneously, ensuring you never miss a detail.

<u>AD-200</u>

6-Channel Audio Delay/Mixer with Level Adjustment

Datavideo AD–200 is an integration of 6-Channel audio delay with a matrix mapping function of 4-Channel outputs Audio Mixer, a combination design with front panel and main unit, 2 separate parts by 1RU rack mount design.

PD-2A

8-way Power Supply Center

Combine up-to 10 power supplies into a single power connection 400 watt rated power supply.

NVS-36

H.265/H.264 Encoding Capability

Expand your production capabilities with H.265/H.264 encoding for high-quality recording and streaming. Ideal for live events, the MS-4000's NVS-36 supports extended applications for encoding, recording, and streaming in mixed production environments.

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing marketing@holdan.co.uk
- Sales sales@holdan.co.uk
- Technical Enquiries techsales@holdan.co.uk
- Request Demo product loans demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.