

Datavideo TP-300 MARK II

ProdCode: DATATP300MKII

Tablet Prompter MARK II



[\[Download Images\]](#) (.zip file)

Features

- Tablet Prompter MARK II
- High Visibility
- Easy Set Up
- Versatile Applications
- Small & Medium-Sized Camcorders
- Remote Control
- Pro App Support

Easy to Use Tablet Teleprompter

Why struggle with expensive re-takes, on stage talent drifting off script or a presenters'™ loss of eye contact with the viewing audience? This Datavideo Prompter Kit is designed to help you overcome these problems by converting a tablet computer (not supplied) into a low cost and effective prompter.

The Datavideo Prompter Kit, TP-300 MARK II, can be used in either a theatre setting, or a video studio.

Professional teleprompting made easy

Hardware built to withstand the demanding conditions of professional shoots and software with high end features, our teleprompters are designed to be simple and straight forward to operate by the talent or remote operator. We use a high-quality mirror glass with a low iron content, meaning that the mirror has no tint.

Suitable for tablets up to 11.6"

The TP-300 MARK II is designed to convert a small tablet computer into a low cost and effective prompter. The teleprompter houses any tablet with a minimum width of 110mm and maximum of 210mm measured in portrait orientation. A regular 10" iPad or Android alternative works best.

High-Quality Beam Splitter

The TP-300 Teleprompter adopts a high-quality 60/40 beam splitter.

60/40 beam splitter" refers to 60% of the light passes through the beam splitter, allowing the camera to capture the subject; 40% of the incident light is reflected towards the talent or speaker who is reading the teleprompter.

The 60/40 ratio strikes an optimal balance, allowing the reflected text from the teleprompter to be vivid and readable, while also allowing the camera to capture high-quality, well-exposed footage.

Normal Tripod Setup

Place a sheet of beam splitter glass at a 45-degree angle in front of the camera lens. Secure the tablet below the camera lens, ensuring that the text on the screen reflects onto the beam splitter glass and appears in the camera's line of sight.

Below Lens Setup

There is an alternatives method to set up the TP-300 MARK II without using the traditional beam splitter glass.

User can have a tablet or a talent monitor directly face toward the on talent. So the speaker can read the scrolling text on the tablet or screen while maintaining eye contact with the camera.

Portable and Suitable for Various Applications

Datavideo TP-300 MARK II is generally smaller and lighter than professional studio teleprompters, making it more manageable for transportation. TP-300 MARK II comes with a carrying case for convenient transportation. The teleprompter is often designed to be compatible with standard tripods, further enhancing its portability for on-location shoots.

The TP-300 MARK II Teleprompter is suitable for various applications. Its adaptable design makes it an ideal choice for various uses. Typical applications include Professional Video Production, Speech Delivery, Interviews, Educational Videos, Live Broadcasting, Online Content Creation and more.

Whether you are producing professional video content, delivering speeches, or conducting interviews, the TP-300 MARK II Teleprompter excels in providing clear and readable prompts for seamless and confident presentations.

Optional Bluetooth and wired remote control

The WR-500 can be used to control our powerful dvPrompter Plus app in Wired or Bluetooth modes. The controller allows you to pause and resume the scroll, increase and decrease speed, increase and decrease font size, jump to specific points within the script (break markers) and switch between scripts in the playlist.

dv Prompter Plus is a powerful teleprompter scripting application suitable for Apple and Android devices

dvPrompter Plus: Flexible control options

dvPrompter Plus supports direct talent led control via our WR-500 Wired/Bluetooth remote control or remote control via IP using any web browser.

Both options allow you to pause and resume the scroll, increase and decrease speed, increase and decrease font size, jump to specific points within the script (break markers) and switch between scripts in the playlist. Optionally you can connect the Contour Shuttle Xpress to the IP connected computer for even more subtle control.

dvPrompter Plus: Remote monitoring via WiFi or Ethernet

Control and monitor the prompter over a local network using any device with a modern web browser.

dv Prompter Plus: Powerful rich text editor

You can remotely change the font size, type, colour and justification on a per script

basis and even use multiple different fonts within a single script. The editor also has support for embedding images and creating playlists from multiple scripts.

dv Prompter Plus: Synchronize multiple tablets via IP*

Connect multiple teleprompters together using our unique IP synchronisation over Ethernet or WiFi.

*Requires in-app purchase

Supports PowerPoint and Keynote slides*

In addition to text-based scripts you can now import your Powerpoint or Keynote presentation slides via the web interface, slides can be controlled using the hardware WR-500 control or the web based remote control interface. dvPrompter Plus supports seamlessly switching between text-based scripts and slides, you can even add slides and text-based scripts to a playlist.

dvPrompter Plus supports mirroring slides in real time so your content is the right way around even when viewed via the mirror glass.

Real Time Editing*

Interrupt live broadcasts with breaking news or urgent updates, simply modify the script via the web interface and watch it update in real time.

In the box:

- 1x Prompter Frame
- 2x Hex Tools to tighten Frame screws
- 1x Metal 3/8" to 1/4" adaptor screw for tripod plate
- 1x Mounting Bracket Screw
- 1x Expandable mounting bracket for tablet
- 1x Glass Frame with matching Velcro straps
- 2x Wing nut screws $\frac{1}{4}$ " for securing the Glass Frame
- 1x Cloth Snood/Hood including side curtains and Velcro straps
- 1x 60/40 Mirror Glass with Green and Red sticker
- 1x Snood/Hood support wire
- 2x Camera Riser Blocks 15mm thick
- 2x 3mm Hex Block Screw long
- 2x 2.5mm Hex Block Screw short
- 1x Camera Screw Long

- 1x Camera Screw Short (with 2 washers and nut)
 - 1x Instruction Manual
 - 1x Ball Head
 - 1x 1/4" Extension Pole
 - 1x 7.5mm 1/4" screw
 - 1x 14mm 1/4" screw to attach item R
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.