

## **Datavideo TP-950**

**ProdCode: DATATP950**

Tablet PTZ Camera Teleprompter



[\[Download Images\]](#) (.zip file)

### **Features**

- Tablet PTZ Camera Teleprompter
- Designed Specifically for PTZ Cameras
- Innovative Design for Any PTZ Camera
- Universal Mounting
- Flexible Tablet Integration for Various Sizes

### **Designed Specifically for PTZ Cameras**

The TP-950 teleprompter is designed specifically for PTZ cameras and features a tablet holder instead of an integrated LCD screen. This allows users to use tablets up to 15.6 inches, offering more flexibility compared to the TP-900. By mounting the PTZ camera upside down, the TP-950 removes operational limitations, enabling greater movement and versatility in your shots.

### **Innovative Design for Any PTZ Camera**

The TP-950 PTZ Camera Teleprompter offers an innovative and versatile design

suitable for any PTZ camera size. Its thoughtful and professional design allows for size adjustment of the teleprompter curtain, ensuring compatibility with all PTZ cameras.

## **Universal Mounting**

The TP-950's adjustable PTZ lift supports all PTZ cameras on the market, ensuring compatibility and flexibility in your setup.

## **Flexible Tablet Integration for Various Sizes**

The TP-950 features an expandable mounting bracket that supports tablets up to 15.6 inches, making it ideal for iPad Pro or larger Android tablets. Unlike the TP-900's built-in 15" monitor, the TP-950's tablet holder offers flexibility and ease of use with a wide range of modern devices.

## **dvPrompter Plus: Remote Monitoring via WiFi or Ethernet\***

Control and monitor the prompter over a local network using any device with a modern web browser.

\*Requires in-app purchase

## **Suitable with Any PTZ Camera Sizes**

The thoughtful and professional design allows teleprompter curtain to have the size adjustment. Any PTZ camera size is suitable for TP-950 PTZ Camera Teleprompter.

## **dvPrompter Plus: Synchronize Multiple Tablets via IP\***

Connect multiple teleprompters together using our unique IP synchronisation over Ethernet or WiFi.

\*Requires in-app purchase

## **Powerful Rich Text Editor**

Remotely change font size, type, color, and justification on a per-script basis. The editor also supports embedding images and creating playlists from multiple scripts.

## **Supports PowerPoint and Keynote Slides\***

In addition to text-based scripts you can now import your Powerpoint or Keynote presentation slides via the web interface, slides can be controlled using the hardware WR-500 control or the web based remote control interface. dvPrompter Plus supports seamlessly switching between text-based scripts and slides, you can even add slides

and text-based scripts to a playlist.

dvPrompter Plus supports mirroring slides in real time so your content is the right way around even when viewed via the mirror glass.

## **Real Time Editing\***

Interrupt live broadcasts with breaking news or urgent updates, simply modify the script via the web interface and watch it update in real time.

## **dvPrompter Plus: Flexible Control Options**

dvPrompter Plus supports direct talent led control via our WR-500 Wired/Bluetooth remote control or remote control via IP using any web browser.

Both options allow you to pause and resume the scroll, increase and decrease speed, increase and decrease font size, jump to specific points within the script (break markers) and switch between scripts in the playlist. Optionally you can connect the Contour Shuttle Xpress to the IP connected computer for even more subtle control.

## **In the box:**

- 1x 15" LCD Control Unit
- 1x 12V universal Mains PSU
- 1x USB Mouse
- 1x 5m Ethernet Cable
- 1x 3.5mm input adapter for WR-500 remote control
- 1x TP-950 metal base tray with tripod plate
- 1x 150x 150 PTZ Scissor Lift
- 1x Cloth Hood
- 1x M4 CRV hex tool
- 1x 9mm long ¼ thumb screw with red dot
- 1x 9mm long ¼ thumb screw with washers
- 8x M6\*40mm screws
- 10x M6\*14mm screws
- 1x 16mm long screw
- 1x 3/8 to ¼ adapter
- 4x 565mm Vertical extrusions
- 2x 475mm horizontal extrusions with 90 degree joining blocks
- 2x 325mm glass support extrusions with single end caps
- 2x 250mm PTZ lift extrusions with both end caps
- 1x 70/30 mirror glass
- 1x Glass support bar

- 2x Spare black extrusion end caps
  - 2x Spare M6\*14mm screws
  - 2x 12V regulated DTap cable
  - 1x Small CRV hex tool to remove the tripod plate from item F
  - 1x Medium CRV hex tool to remove 90 degree joining blocks from item Q
- 

## **Need Further Support?**

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

## **Contact Us:**

- Marketing - [marketing@holdan.co.uk](mailto:marketing@holdan.co.uk)
- Sales - [sales@holdan.co.uk](mailto:sales@holdan.co.uk)
- Technical Enquiries - [techsales@holdan.co.uk](mailto:techsales@holdan.co.uk)
- Request Demo product loans - [demo@holdan.co.uk](mailto:demo@holdan.co.uk)

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.