

Densitron UReady 2U Monitor

ProdCode: DENDM163GN

2RU rack mountable universal touchscreen control surface with an embedded ARM platform



[Download Images] (.zip file)

Features

This universal touchscreen control surface is 2RU rack mountable, with an embedded ARM platform and Ethernet connectivity.

The display has 1920 x 285 pixels and an optically bonded capacitive touchscreen providing optimum optical quality. The display features wide-angle symmetric viewing making it easier to be used in many operational applications. Densitron's modular design of HMI (Human Machine Interface) control surface is suitable for Broadcast, Telecommunications, and other networked control and monitoring systems.

The embedded ARM platform is Densitron's Aurora SBX™ single board computer based on NXP i.MX6 utilising Quad core ARM® Cortex-A9 2GHz. The APU paired with onboard DDR3 RAM provides the performance to support contemporary multi-media requirements, and rich User Interfaces.

The embedded Aurora Software Ecosystem allows for rapid development of user's HMI applications.

- 2RU rack mountable universal touchscreen control surface with an embedded ARM platform
- Control surface powered by ARM
- Ideal for Broadcast, Telecommunications and other networked control and monitoring systems
- Resolution: 1920 x 285 px

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing marketing@holdan.co.uk
- Sales sales@holdan.co.uk
- Technical Enquiries techsales@holdan.co.uk
- Request Demo product loans demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.