

Elgato Wave DX

ProdCode: ELG10MAH9901

Dynamic Vocal Microphone



[Download Images] (.zip file)

Features

- Dynamic Vocal Microphone
- Premium Dynamic Capsule: captures exceptional detail and clarity
- Works With Any Interface: any XLR preamp or audio interface, no signal booster required
- Speech Optimized: warm, true-to-life sound character
- Cardioid Polar Pattern: wide, forgiving acceptance angle for off-axis speaking
- Room Noise Rejection: reduces unwanted background noise
- Internal Pop Filter: tames pops and hisses caused by plosive speech sounds
- Mono Swivel Mount: adjust the mic position without jamming your cable
- Thread Adapters Included: attach to any mic stand
- Removable Logo: mount on either side and rotate to look right on camera
- Required: [XLR audio interface](#), XLR cable, [mic stand](#) or [boom arm](#)
- Made for Broadcasters, Podcasters, Commentators, Creators

INCREDIBLE SOUND RIGHT OUT OF THE BOX

- **Warm, true-to-life character**

For pro audio production

- **Brilliant detail and clarity**
Without unwanted background noise
- **Forgiving cardioid polar pattern**
Speak off-axis and still be heard
- **Works with any XLR audio interface**
No booster necessary

Compatibility is at the heart of every Elgato device. You can feel it in the way hardware and software work as one. It sets the standard for how creating content should feel — natural, empowering, and fun.

REMOVABLE LOGO

- Mount on either side and rotate the logo to look right on camera

HARDENED STEEL CHASSIS

- Extra durable
- Reduces internal noise artifacts

MONO SWIVEL MOUNT

- Adjust without jamming your cable
- Compatible with all mic arms
- 5/8" mount with 3/8" and 1/4" thread adapters included

WORKS WITH ANY XLR INTERFACE. EVEN BETTER WITH WAVE XLR

Wave DX works seamlessly with [Wave XLR](#), a compact USB interface packing features you won't find in conventional audio interfaces. Like proprietary anti-distortion technology, a capacitive mute button, direct integration with Wave Link mixing software, and an interchangeable faceplate.

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.