

Ikan EI-7080-AAD

ProdCode: IKAEI7080AAD

2-Stage Aluminium 100mm Fluid Head Tripod & Dolly Kit, 26.4 lbs Payload, w/ Adjustable Counterbalance (E-IMAGE)



[\[Download Images\]](#) (.zip file)

Features

- 2-Stage Aluminium 100mm Fluid Head Tripod & Dolly Kit, 26.4 lbs Payload, w/ Adjustable Counterbalance (E-IMAGE)
- Height Range: 34.4-71.7" / 87.5-182cm
- Bowl Size: 100mm
- Max Payload: 26.4 lbs. / 12kg
- Counterbalance: 0-5
- Pan Drag: Fixed
- Tilt Drag: Fixed
- Studio Kit Includes Additional Panhandles & Dolly w/ Cable Guards

The EI-7080-AAD is a complete 100mm 2-stage aluminium tripod solution that can handle payloads up to 26.4 lbs. This studio version of the tripod kit includes a fluid head, two panhandles, tripod legs, and a dolly with cable guards.

Fluid Head

The fluid head, designed with a 100mm bowl size, is adept at supporting equipment with a maximum payload of 26.4 lbs (12kg). It features a slide range of 70mm, allowing for precise positioning and balance adjustments. The counterbalance can be finely tuned within a range of 0-5, ensuring stability and smooth movement during operations. Additionally, the fluid head comes with two extendable panhandles that can be adjusted from 15.9" to 23.8", offering users flexibility and enhanced control during filming.

Heavy-Duty Tripod

These tripod legs, constructed from durable aluminium, ensure strength while remaining lightweight with a net weight of 10.1 lbs (4.6kg). Designed with a 100mm bowl size, they can comfortably support equipment with a substantial payload of up to 132.3 lbs (60kg). The legs are versatile in terms of height adjustments, ranging from 16.9" (43cm) to an impressive 60.8" (154.5cm). When it's time to pack up and move, the tripod legs can be collapsed to a compact transport length of 28.1" (71.5cm). With three sections, they offer flexibility and stability, making them suitable for a variety of shooting environments.

Studio Shooting

This studio version of this tripod includes a dolly equipped with cable guards, ensuring any cables will be swiftly pushed aside when moving the dolly during studio shoots. This kit also includes an additional pan handle which not only offers users enhanced control and flexibility during their shoots but are also designed to accommodate the mounting of servo controls. This feature allows for precise camera movements and adjustments, making it an invaluable tool for professionals in studio settings.

Dolly

The EI-7004B dolly features 4" locking rubber wheels with a capacity of 132.3 pounds. This system has a working footprint of 39.4 inches and has height-adjustable cable guards. Each dolly system is easy to fold with its handle and single wingnut for transport in the DB-01 carrying bag (included).

In the box:

- 1x EI-7080H Fluid Head
 - 1x GP2 Tripod Plate
 - 2x GB3 Pan Handle
 - 1x AT7602A Tripod Legs
 - 1x EI-7004B Dolly
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.