

## Ikan LBX5-3PT-KIT

**ProdCode: IKALBX53PTKIT**

Lyra Half x 1 Bi-Colour 3-Point Studio Panel Soft LED Light w/ DMX Control



[\[Download Images\]](#) (.zip file)

### Features

- Lyra Half x 1 Bi-Colour 3-Point Studio Panel Soft LED Light w/ DMX Control
- 97 CRI Chip LEDs paired with 1/2 stop soft diffusion panel
- Bi-Colour adjustable from 3200K-5600K
- Bright consistent light across all colour temperatures
- Beam Angle of Soft panel 110 degrees
- A clean single shadow without the artifacts
- DMX512 In And Out (5 Pin)
- Baby 5/8 inch/Junior 1-1/8 Combo Pin adapter with right angle receiver hole
- 30 degree angled yoke for unobstructed movement
- Stronger steel tension knobs for locking the light into place
- Single knob control for adjusting colour, brightness or DMX
- LED Readout screen giving you precise adjustments
- Included barn doors with intensifiers
- Watts equivalent to 350 watts incandescent light

Ikan introduces the Lyra soft lights! What you can expect when high CRI LED chips combined with a soft panel is a beautiful, soft wrapping light. What's unique about a

Lyra soft light is how it creates a nice, clean shadow. The Lyra 1 x 1 soft light is equivalent to a 850-watt incandescent soft light. The soft light's 3200K-5600K works well with any lighting production. The 110-degree wide beam angle can easily light a large area by itself. The 30-degree yoke, baby 5/8" and junior 1 1/8" combo pin also allow you to configure or attach them to any stand. Additionally, the yoke's strong steel tension knobs can securely lock the light in place at any angle. On the back, the large yellow control knob lets you adjust the light's brightness, colour temperature, and DMX channels with just a few simple clicks. The LED readout provides extremely precise measurements for reference. You can also plug in the Lyra soft light practically anywhere thanks to its maximum 150 watts at 120VAC. Add to that Ikan's reliable barndoors with intensifiers and you can clearly see why Lyra DMX soft lights are the best value package!

## **Consistent Colour and Brightness**

The high CRI LED chips and 1/2-stop soft diffusion panel can output a strong, bright diffused light. The soft light's bi-colour adjustability ranges from 3200K-5600K and works well with any lighting production. The Lyra soft light's wide beam angle provides a large amount of soft light all on its own. Please note that the light will not operate correctly if the diffusion panel is damaged or removed.

## **Industry Standard Combo Pin**

The Baby 5/8" / Junior 1-1/8" Combo Pin adaptor with a right angle receiver hole allows for the use of any grip stand.

## **LED Readout & Single Knob Control**

Users can easily adjust the brightness or DMX, on the fly by using the single control knob on the back of the lights. The new bright LED readout gives you a quick reference of the light's output.

## **Yoke Design**

The 30-degree angled yoke provides unobstructed movement of the light. The steel tension knobs securely lock the light in place at any angle.

## **110° Beam Angle & Single Shadow**

The wide 110° beam angle gives you plenty of soft light and a more natural shot with a single shadow.

## **In the box:**

- 3x Yoke Mount
  - 3x HD Stands
  - 3x Half x 1 DMX Light Fixture
  - 3x Power Supply w/ Cable
  - 1x Stand Bag
  - 1x Light Bag
- 

## **Need Further Support?**

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

## **Contact Us:**

- Marketing - [marketing@holdan.co.uk](mailto:marketing@holdan.co.uk)
- Sales - [sales@holdan.co.uk](mailto:sales@holdan.co.uk)
- Technical Enquiries - [techsales@holdan.co.uk](mailto:techsales@holdan.co.uk)
- Request Demo product loans - [demo@holdan.co.uk](mailto:demo@holdan.co.uk)

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.