

Ikan PTZ-STND-21C

ProdCode: IKAPTZSTND21C

21ft Carbon Fiber PTZ Tripod Stand (E-Image)



[\[Download Images\] \(.zip file\)](#)

Features

- 21ft Carbon Fiber PTZ Tripod Stand (E-Image)
- 21ft Maximum Height
- Maximum Payload of 11lbs (5kg)
- Carbon Fiber Material Makes Setup Lighter & Easier
- Accessory Screw Threads for Monitors & Articulating Arms
- Adjustable Leveling Leg
- 15° Ball Level Adjustment

The E-IMAGE PTZ-STND-21C Carbon Fiber PTZ Tripod Stand is capable of supporting cameras at heights up to 21ft. It can handle a maximum payload of 11lbs (5kg) when fully extended. This tripod stand features an adjustable leveling leg to accommodate uneven surfaces. Additionally, this heavy duty system includes wind bracing cables and metal pegs to create overall stability. The tripod stand also comes with a leveling base to create a perfectly leveled shot.

21ft Max Height

The tripod stand supports camera setups at heights up to 21ft, making it ideal for capturing high-angle shots in sports and other events using a PTZ camera. This capability allows for expansive overhead views, enhancing the quality and range of footage obtainable from dynamic environments. The tripod stand's height is particularly beneficial for achieving comprehensive coverage in sports and action settings.

Air Cushioned

The PTZ-STND-21C's center column can be freely adjusted up and down, offering flexible positioning options. It features air cushioning, which safeguards against damage to both fingers and equipment by preventing abrupt drops.

Extendable Leveling Leg

An extendable leg makes leveling more convenient, as there is no need to lower the entire system for adjustments. Simple manipulation of the extendable leg allows for quick and efficient stabilization. This design greatly enhances ease of use and operational efficiency, particularly in varying terrain conditions.

Metal Locking Knobs for Center Column Stages

The PTZ tripod stand is equipped with metal knobs that enable quick and easy locking of the center column stages. This feature allows for rapid and secure adjustments, enhancing the tripod stand's functionality and user efficiency. The robust metal construction ensures durability and reliable operation.

Accessory Screw Threads

Standard 1/4" and 3/8" screw threads enable users to make use of a variety of accessories such as articulating arms, monitors, etc. This versatility facilitates the easy attachment of these and other photographic equipment, enhancing the stand's utility across different setups. The inclusion of multiple screw sizes ensures flexible and convenient integration of essential accessories for diverse shooting environments.

Metal Feet Built for Stability

All three legs on the PTZ tripod stand each come equipped with metal feet that include holes for additional security. Users can screw metal pegs into these holes, ensuring enhanced stability and safety. This design provides extra security, making the tripod stand more robust and reliable in various shooting conditions.

Ball Leveling Base

The EI-A29 Leveling Base enables you to make quick level adjustments to ensure that your PTZ camera is completely flat before you begin performing in-camera panning & tilting. The bubble level, with a 15-degree tilt adjustment, ensures your base is perfectly aligned with the horizon. It features a 1/4" male top screw and a 3/8" female bottom socket, making it compatible with a wide range of tripods and cameras.

Recommended Accessories

To enhance your PTZ experience, we recommend these accessories:

- VXF7-HB High Bright 7" Monitor can be mounted directly to the accessory threads using a EI-A49 Articulating Arm.
- GN6180 Carrying Bag is a convenient way to pack and haul the PTZ Tripod Stand
- OTT-CONTROLLER-V2 gives you flexible control of your PTZ camera and is compatible with various analog or IP control protocols

In the box:

- 1x PTZ Tripod Stand
- 1x Ball Leveling Base
- 3x Stakes
- 3x Ropes
- 3x Sandbags
- 1x User Manual

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.

