


Magewell Control Hub

ProdCode: MAGECONHUBBASIC

Management Software for Devices and Streams - Basic Version



[\[Download Images\]](#) (.zip file)

Features

- Centralized Management Software for Devices and Streams
- Designed for 24/7 continuous status monitoring, services configuration, and management
- For Magewell devices and I/O streams
- Check Control Hub work states of CPU, memory and network conditions, device states of working
- Control Hub work states of CPU, memory and network conditions, device states of working on the Dashboard page
- Remotely control hosted devices through Control Hub
- Set live stream transmuxing from the Streaming page

Centralized Management Software for Devices and Streams

The successor to the former Magewell Cloud platform, the new Control Hub features an enhanced device management interface and expanded stream conversion capabilities.

One Management Platform for all Magewell IP Devices

The Control Hub software supports Magewell hardware products including Ultra Stream and Ultra Encode live media encoders; Pro Convert NDI® encoders and decoders; the Pro Convert Audio DX IP audio converter; and the USB Fusion capture and mixing device. Users can remotely configure device parameters, trigger operational functions and upgrade the firmware of multiple devices in batches.

Intuitive and Efficient Browser-based Interface

Control Hub’s intuitive, redesigned dashboard makes it easy for users to see the status of their devices and deployments at a glance. Video from remote Ultra Stream, Ultra Encode and USB Fusion units can be previewed directly in the Control Hub interface without needing to open the individual device's interface panel.

Easy Stream Conversion Capabilities

Control Hub can convert between multiple streaming protocols with an exceptionally flexible stream routing architecture. Users can easily define 'channels' that map an input to one or more output protocols and destinations. Control Hub converts between RTMP, SRT (in caller or listener mode), RTSP and transport streams (delivered over UDP or RTP).

Choose the Version That’s Right for You

Control Hub can be purchased in three full versions (Basic, Plus or Pro) to meet your specific needs for the number of managed devices, stream conversion channels, and stream conversion outputs. A Lite version is also available for customers requiring device management but who do not need stream conversion. Multiple Control Hub Lite licenses can be combined to manage a greater number of devices (in increments of 20).

A trial version of Control Hub is available for evaluation purposes and can be used for 14 days after its activation code is generated.

Features	Trial	Lite	Basic	Plus	Pro
Device Management (# supported)	5	20	20	50	150
Stream Conversion Channels	5	/	5	25	50
Stream	5	/	20	50	150

Conversion

Outputs

System

Linux

Windows

MacOS

Linux

Windows

MacOS

Linux

Windows

MacOS

Linux

Windows

MacOS

Linux

Windows

MacOS

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.