

Magewell Pro Capture Mini SDI

ProdCode: MAGEPRCAPMSDNHS

One-channel HD capture card - No Heatsink



[\[Download Images\]](#) (.zip file)

Features

- One-channel HD capture card - No Heatsink
- Captures SD/HD/3G/ 2K SDI + embedded audio
- Loop-through SD/HD/3G/2K SDI
- Input Interface: SD/HD/3G/2K SDI x1
- Loop-through Interface: SD/HD/3G/2K SDI x1
- Supports input/Loop-through resolution up to 2048×2160 pixels
- Host Interface: PCIe Gen2 x1

Video Engine

- 10-bit video processing
- Deinterlace
- Cropping
- Colour Adjustment
- Hardware Timestamp
- Colour Space Conversion
- Up/down Conversion

- Aspect Ratio Conversion
- OSD
- SG-DMA Transmission mode

Signal Detection & Support

- Auto Detection of Input Signal Format
- Time Code
- Closed Caption

Software Environment

- OS: Windows, Linux, Mac
- Driver and Firmware: Universal Driver, Updatable Firmware
- Included Software: Capture Express
- Compatible Software: 50+

Other Features

- Multiple Capture Streams
- Low Latency Mode
- Multiple Devices on One Host
- Mounting Hole
- Continuously Work for 24hx7
- High-speed Memory
- LED Status Indicator
- Rotary Switch
- Windows, Linux and Mac SDK
- 2-year Warranty

In the box:

- Pro Capture Mini SDI
- MMCX to SDI breakout

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.