

Magewell Pro Capture Dual SDI

ProdCode: MAGEPROCAPDSDI

Two-channel HD capture card



[\[Download Images\]](#) (.zip file)

Features

- Two-channel HD capture card
- Input Interface: SD/HD/3G/2K SDI x2
- Supports input/loop-through resolution up to 2048x1080 pixels
- Loop-through Interface: SD/HD/3G/2K SDI x2
- Host Interface: PCIe Gen2 x4

Video Engine

- 10-bit video processing
- Deinterlace
- Cropping
- Colour Adjustment
- Hardware Timestamp
- Colour Space Conversion
- Up/down Conversion
- Aspect Ratio Conversion
- OSD

- SG-DMA Transmission mode

Signal Detection & Support

- Auto Detection of Input Signal Format
- Time Code
- Closed Caption

Software Environment

- OS: Windows, Linux, Mac
- Driver and Firmware: Universal Driver, Updatable Firmware
- Included Software: Capture Express
- Compatible Software: 50+

Other Features

- Multiple Capture Streams
- Low Latency Mode
- Multiple Devices on One Host
- Mounting Hole
- Continuously Work for 24hx7
- High-speed Memory
- LED Status Indicator
- Rotary Switch
- Windows, Linux and Mac SDK
- 2-year Warranty

In the box:

- Pro Capture Dual SDI
- Low Profile Bracket
- 2x SMA to BNC cable

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.