

Slidekamera BOLD JIB

ProdCode: MRMCHKR7Z01BASE

Modular jib for broadcast and cine cameras



[\[Download Images\]](#) (.zip file)

Features

- Modular jib for broadcast and cine cameras
- Range of 1m - (up to 3.4m with additional sections)
- Maximum payload 15kg
- Sliding Adjustable Counterweight

BOLD JIB is a universal tool for both film and television environments. Its reinforced construction makes it stable and reliable, regardless of the shooting conditions.

MODULAR CONSTRUCTION

With the BOLD JIB, you don't have to choose the length now. You can do it before the shooting. For filmmaking in tight spaces and precise product photography, or for moving your camera above the crowd. Set your BOLD JIB to the length you need and create epic shots without limitations. Modular sections allow you to build your jib in various reach configurations, from 1m to 3.4m.

ADJUSTABLE COUNTERWEIGHT

Smoothly move the counterweight to precisely balance the device. You don't have to match the exact weight of the camera using lots of small weights. Instead, just put an approximate amount of balance and fine-tune it using a comfortable winder.

EURO MOUNT

The base of the BOLD JIB is equipped with the EURO Mount, an industry-standard, robust connection that allows you to work fast and efficiently. With this mount, you can place your BOLD JIB on our dedicated tripod or any other professional grip equipment, such as dollies or pneumatic pedestals.

If you need a different grip system, such as Mitchell Mount or a flat plate, the mount can be easily replaced to suit your needs.

REMOTE HEADS

With the universal head mount, you can use the SLIDEKAMERA native grip system to mount remote heads or use third-party solutions fixed with a flat plate and 3/8" screw or 75/100mm bowl adapter.

Recommended for use with the lightweight X-HEAD mkIII and the AION 2D controller as a default remote head.

In the box:

- Main arm (HKR-7-Z11)
- Head mount bracket with HCZ-75/100 bowl adapter (HKR-7-Z7)
- Weight handle (HKR-4-C46)
- 2x Weight clamp (HKR-4-Z8)
- Rotational base (HGO-4)
- EURO MOUNT Adapter (AF-40)

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk

- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.