

Panasonic AG-BS300E

ProdCode: PANAGBS300E

Camera Studio System - Base Station



Features

- Digital signal transmission ensures high-quality, degradation-free images.
- The base station and camera adaptor can be separated up to a distance of 328' (100 meters).
- Connection with two BNC cables allows transmission of HD digital images, return images, tally signals, mic signals, and genlock signals.
- Connection of the AG-EC4G Extension Control Unit or AJ-RC10G Remote Control Unit*1 enables camera-recorder control.
- Up to 70 watts of power can be supplied to the camera-recorder*2, and a compact monitor and servo zoom can also be driven.
- AG-BS300: Supports both AC (100 to 240 V) and DC (12V) power supplies. Includes two SDI (HD/SD) outputs and a composite video output.

*1: The AJ-RC10G can control only the functions that are supported by the camera-recorder. It cannot operate unsupported switches or dials.

*2: Power can be supplied only when the AG-BS300 Base Station is driven by an AC power source. A separate power cord is also required between the AG-BS300 Base Station and the AG-CA300G Camera Adaptor. Other manufacture's power cords which

Panasonic verified are recommended to use.

The AG-BS300 is part of a Camera Studio System.

The AG-BS300 base station connects with the AG-CA300G camera adapter with two BNC cables allowing transmission of HD digital images, return images, tally signals, mic signals and genlock signals.

The base station also comes with a power cable that runs along the BNC cables to supply remote power to the camcorders. The AG-BS300 features two HD/SD SDI outputs and a composite video output.

Cables for the base station are available in two lengths: 100M and 50M.

Users can remotely shade or paint the camcorder from the control room.

Supported Camera Recorders

P2 HD:

- AG-HPX371
- AG-HPX500 series
- AJ-HPX3700
- AJ-HPX2700
- AJ-HPX3100
- AJ-HPX2100

In the box:

- 1 x AG-BS300
- 1 x AC Cable
- 2 x Rack Mount Adapters
- 6 x Rack Mount Adapter Screws

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.