

Panasonic LUMIX H-FS35100E-K

ProdCode: PANHFS35100EK

LUMIX G Vario 35-100mm f/4-5.6 Asph. Mega O.I.S. - Black

[\[Download Images\]](#) (.zip file)

Features

- LUMIX G Vario 35-100mm f/4-5.6 Asph. Mega O.I.S.
- Micro Four Thirds Telephoto zoom lens, 70-200mm (35mm camera equivalent)

Get the most out of this high-portability lens with a versatile focal length of 35–100mm (35mm camera equivalent: 70–200mm). Take it everywhere and explore your creativity by bringing shallow depth of field to both telephoto and portrait shots for exquisite, expressive results. What's more, the metal mount ensures high performance and quality, while the elegant metal finish makes this lens a joy to use.

MEGA O.I.S. – sharp results

Capture scenes carefree or at the spur of the moment. The optical image stabilisation (O.I.S.) technology built directly into the lens ensures your photos will look great, with sharp blur-free contours across the entire picture.

That's because this technology immediately compensates the kind of minor movements and vibrations that can so easily occur in photography. But you won't

notice any of this – all you'll see are wonderfully crisp images.

HD Video Support – perfect video-recording

With HD video support any user has everything they need for recording with their LUMIX camera. Not only does it perform smooth aperture changes so there are no sudden jumps in exposure, it also boasts a silent design for enhanced capture of the scene's audio. What's more, it offers excellent tracking performance – so you won't miss a moment of the action.

In the box:

- Lens
- Lens cap
- Lens hood
- Lens rear cap

Specifications

- **Closest Focusing Distance:** 0.90m / 3.00ft
 - **Diagonal Angle of View:** 34°(Wide) to 12°(TELE)
 - **Filter Size:** 46mm
 - **Focal Length:** f=35-100mm (35mm camera equivalent 70-200mm)
 - **Lens Construction:** 12 elements in 9 groups (1 aspherical lens, 2 ED lenses)
 - **Maximum Aperture:** F4.0 (Wide) - F5.6 (Tele)
 - **Maximum Diameter:** 55.5mm / 2.2in
 - **Maximum Magnification:** Approx. 0.11x / 0.22x (35mm camera equivalent)
 - **Minimum Aperture:** F22
 - **Mount Type:** Micro Four Thirds mount
 - **Optical Image Stabilizer:** Yes (MEGA O.I.S.)
 - **Weight:** Approx. 135g / 4.76oz (excluding lens cap, lens rear cap and lens hood)
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk

- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.