

Panasonic LUMIX H-FS45150EK

ProdCode: PANHFS45150EKA

LUMIX G Vario 45-150mm F4.0-5.6 ASPH. MEGA OIS lens

[\[Download Images\]](#) (.zip file)

Features

- 45-150mm
- F4.0-5.6 ASPH.
- MEGA O.I.S.(Optical Image Stabilizer)
- 7 Blades Circular Aperture Diaphragm for Smoothly Defocused Background
- 1 UHR (Ultra High Refractive Index) lens and 2 aspherical lenses
- Compact and Lightweight Telephoto Zoom Lens
- High-speed and Silent AF with Inner Focus System

The LUMIX G VARIO 45-150mm/4.0-5.6 ASPH./MEGA O.I.S. lens incorporates Panasonic's MEGA O.I.S. (Optical Image Stabilizer), which makes it easy to shoot super clear shots even in low-lit situations by suppressing the blur caused by a hand shake.

The lens also incorporates superior inner focus system, which enables excellent resolution and contrast from full life-size magnification to infinity. The inclusion of stepping motor makes the focusing action smooth and silent for use in both photo and video recording.

Featuring high mobility (thanks to the ultra-compact size) and a versatile zoom range of 45-150 mm (35mm camera equivalent: 90-300mm), the new LUMIX G VARIO 45-150mm/F4.0-5.6 ASPH./MEGA O.I.S. lens is suitable for impressive telephoto shot of sports or animals which are physically difficult to come close utilizing rich depth of the field.

The 7 aperture blades consists a circular aperture diaphragm and produces an attractive smoothness in out-of-focus areas even shooting at large aperture. The new lens system uses multi-coated lens elements that reduce ghosts and flare to an absolute minimum, helping deliver a high optical performance.

Specifications

- **Closest Focusing Distance:** 0.9m / 3.0ft
- **Diagonal Angle of View:** 27°(Wide) to 8.2°(Tele)
- **Dimensions:** Approx. 73mm / 2.9" (from the tip of the lens to the base side of the lens mount)
- **Filter Size:** 52mm / 2.05"
- **Focal Length:** 45mm to 150mm (35mm film camera equivalent: 90mm to 300mm)
- **Geared Focus / Iris:** No
- **Lens Construction:** 12 elements in 9 groups (2 aspherical lenses, 1 UHR Lens)
- **Lens Type:** Telephoto
- **Maximum Aperture:** F4.0 (Wide) to F5.6 (Tele)
- **Maximum Diameter:** 62mm / 2.44"
- **Maximum Magnification:** 0.17x (35mm film camera equivalent: 0.35x)
- **Minimum Aperture:** F22
- **Mount Type:** MFT
- **No. Diaphragm Blades:** 7 diaphragm blades
- **Optical Image Stabilizer:** Yes
- **Weight:** 200g / 7.10z (excluding lens cap and lens rear cap)

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk

- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.