

## Panasonic LUMIX S-R70200

**ProdCode: PANSR70200E**

L-Mount 70-200mm Telephoto Zoom Lens

[\[Download Images\]](#) (.zip file)

### Features

- L-Mount 70-200mm Telephoto Zoom Lens

- **Capture the Active Instant**

Outdoor photography demands a high degree of responsiveness and mobility in every dimension of the camera. Covering the wide focal length range of mid-telephoto 70mm to telephoto 200mm, the LUMIX S PRO 70-200mm F4 O.I.S. is an outstanding choice for portraits, sports, wildlife, and many other genres. The ability to use 1.4x and 2.0x teleconverters\* further expands the possibilities. Moreover, high-speed, high-precision autofocus featuring a linear motor and 480 fps AF control teams up with the 6-stop\*\* 5-axis Dual I.S. 2\*\*\* to help you capture active instants with confidence.

- **O.I.S. (Optical Image Stabilizer) – Ultra-sharp Photos**

Capture scenes carefree or at the spur of the moment. The optical image stabilisation (O.I.S.) technology built directly into the lens ensures your photos will look great, with sharp blur-free contours across the entire picture.

- **Rugged Design - More Creative Option**

Brave the elements in nearly any kind of weather or shooting location. This lens features dust- and splash-resistant\* and designed for use at temperatures as

low as -10 °C that is tough enough to withstand even heavy field use. It protects the lens system inside from sand, rain and more, making it perfect for shooting under harsh conditions. Now there is nothing holding you back from capturing the creative nature or landscape shots you want.

- **Video Support - Perfect Video Recording**

With video support any user has everything they need for recording with their LUMIX camera. Not only does it perform smooth aperture changes so there are no sudden jumps in exposure, it also boasts a silent design for enhanced capture of the scene's audio. What's more, the stunning AF performance of this lens records excellent 4K video, where precise focusing is essential.

The Panasonic LUMIX S PRO S-R70200 70-200mm F4 Telephoto lens with O.I.S. provides high-resolution, high-contrast images across the entire zoom range making it perfect for portraits to sports. The Panasonic LUMIX 5-Axis Dual I.S. (Image Stabilizer) 2 [1] system can be used with the LUMIX S PRO as a lens for a full-frame mirrorless camera system. LEICA Certified to Leica standards, this Telephoto Lens is an interchangeable Full Frame L-Mount.

The O.I.S. (Optical Image Stabilizer) in the lens effectively compensates for hand-shake movement, making it easy to shoot without a tripod. This Panasonic LUMIX S PRO lens offers high-precision Auto Focus to capture every photo opportunity. The focus clutch mechanism enables both instant AF/MF switching and accurate manual focusing. Focus breathing is suppressed making it an excellent choice for video recording.

Camera performance, lightweight construction, and Dust/Splash\*/Freeze-Resistant Design are some of the features you'll enjoy while shooting with the Panasonic LUMIX S Series lens.

## Specifications

- **Closest Focusing Distance:** 0.92m / 3.02ft
- **Diagonal Angle of View:** 34°(Wide) - 12°(Tele)
- **Dimensions:** Approx. 179mm / 7.05inch (from the tip of the lens to the base side of the lens mount)
- **Filter Size:** 77mm
- **Focal Length:** 70-200mm
- **Geared Focus / Iris:** N
- **Lens Construction:** 23 elements in 17 groups (1 aspherical lens, 1 UED lens, 3 ED lenses, 1 UHR lens)
- **Lens Type:** Telephoto
- **Maximum Aperture:** 4
- **Maximum Diameter:** 84.4mm

- **Maximum Magnification:** Approx. 0.25x
  - **Minimum Aperture:** F22
  - **Mount Type:** L
  - **No. Diaphragm Blades:** 9 diaphragm blades
  - **Optical Image Stabilizer:** Yes
  - **Weight:** Approx. 985g / 34.74oz (excluding lens cap, lens rear cap, lens hood and external tripod mount)
- 

## **Need Further Support?**

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

## **Contact Us:**

- Marketing - [marketing@holdan.co.uk](mailto:marketing@holdan.co.uk)
- Sales - [sales@holdan.co.uk](mailto:sales@holdan.co.uk)
- Technical Enquiries - [techsales@holdan.co.uk](mailto:techsales@holdan.co.uk)
- Request Demo product loans - [demo@holdan.co.uk](mailto:demo@holdan.co.uk)

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.