

PGYTECH CapLock Three-arm Suction Mount

ProdCode: PGYPGM224

Camera Holder with 3 Arm Suction Mount



[Download Images] (.zip file)

Features

- Camera Holder with 3-Arm Suction Mount
- Adjustable dual-ball head allows 360° adjustment
- Easy to use
- Foldable design, easy to carry and store
- Efficient assembly and disassembly
- Security lock ensures reliability
- Made of high-strength aluminium alloy
- Dimensions: 226mm*207mm*176mm
- Weight: 381g
- Load Bearing: ?300g
- Working Temperature: -10°C to 40°C
- Compatibility: Action cameras; Smartphones(A phone clamp is needed)

CapLock Three-arm Suction Mount is designed to securely fix action cameras, smartphones, and other devices to car windows, car bodies, walls, and tabletops for long-duration motion or static shooting. It features 3 suction bases, with each base adjustable by 45°. Dual ball head construction allows 360° tilting and rotating

capabilities, effortlessly adjusted via a wingnut. The quick-release mechanism and security lock ensure a stable installation. And with its action camera adapter and 1/4" adapter, it offers broad compatibility with action cameras and smartphones.

Enhanced Suction Power

Equipped with three elastic resin and thickened suction cups, each adjustable by 45°. The triangular structure also enhances steadiness.

360° Panoramic View

The dual-ball magic arm provides a complete panoramic view with a single locking wingnut for rapid adjustments.

Wide Compatibility

Including an action camera adapter and a 1/4" adapter, it works well with action cameras and smartphones. (A phone clamp is needed when used with a smartphone)

Light and Portable

The fold design makes it easy to carry.

Robust Aluminium Alloy

The magic arm uses high-strength aluminium alloy, making it light yet reliable.

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing marketing@holdan.co.uk
- Sales sales@holdan.co.uk
- Technical Enquiries techsales@holdan.co.uk
- Request Demo product loans demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.

