

Samyang AF 75mm F1.8 X

ProdCode: SAMYANG7083

Autofocus, compact, fast aperture, telephoto lens - Fuji X Mount



[\[Download Images\]](#) (.zip file)

Features

- Autofocus, compact, fast aperture, telephoto lens - Fuji X Mount
- Compact and light
- UMC (Ultra Multi Coating) effectively eliminates flare and ghosting
- Create beautifully blurred backgrounds at a narrow depth of field
- The internal autofocus system is fast and quiet, which eliminates autofocus noise during video shooting

Compact Size & Light Weight

The AF 75mm F1.8 X is the smallest (69.3mm/2.7in length) and lightest (257g/26.5oz weight) autofocus telephoto lens designed for Fuji X-mount users. Its compact size and lightweight maximize the portability and usability and it's a great match to compact Fujifilm mirrorless cameras.

Excellent Resolution in All Areas of the Image

The 2 HR (High Refractive) and 3 ED (Extra-Low Dispersion) glass elements of this

new AF 75mm F1.8 X provide a stunning contrast and resolution in all areas of the image. Samyang's advanced coating technology maintains excellent image sharpness and clear image even in poor lighting conditions.

Impressive Background with Refined and Beautiful Bokeh

The F1.8 maximum aperture of this new AF 75mm F1.8 X lens provides an extremely narrow depth of field expression and amazing out-of-focus images. A 9-blade circular aperture design creates a beautifully blurred background at a narrow depth of field. Its smooth bokeh and blurred background can make subjects stand out in images with deep dimensional impact.

Fast and Accurate Auto Focus

The AF 75mm F1.8 X tracks the subject accurately and quickly, whilst the AF operates quietly and smoothly in video recording mode. In particular, it is advantageous for video shooting as this compact and lightweight lens is suitable for use on a gimbal, in combination with the small and light Fujifilm X series cameras.

Custom Switch Mode 1 & 2

The AF 75mm F1.8 X includes a new special feature, the "Preset Aperture Control" function on the "Custom Switch - Mode 2". You can control the depth of field more smoothly without noise and vibration when you record videos in AF mode. On the "Custom Switch - Mode 1", it operates with the "Focus Control" function in MF shooting mode, so you can adjust the focus precisely, by rotating the focus ring. More functions will be added through firmware updates in the future and you can check the detailed information on the official website.

Modern Design with Weather Sealing

The AF 75mm F1.8 X has adopted the Samyang AF 2nd generation design such as a rubberized micro-patterned focus ring, hidden red ring, and matte finish, also weather sealing applied to 5 different spots.

In the box:

- Lens
- Lens Caps
- Lens Hood
- Lens Pouch

Specifications

- **Closest Focusing Distance:** 0.69m (2.26ft)
 - **Diagonal Angle of View:** APS-C: 21.9°
 - **Dimensions:** 69.3mm
 - **Filter Size:** 62mm
 - **Focal Length:** 75mm
 - **Lens Construction:** 10 Elements in 9 Groups
 - **Maximum Aperture:** F1.8
 - **Minimum Aperture:** F22
 - **Mount Type:** Fuji X
 - **No. Diaphragm Blades:** 9
 - **Weather Proof:** Yes
 - **Weight:** 298g
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.