

## Samyang MF 14mm F2.8 RF

**ProdCode: SAMYANG7632**

Manual focus, full frame, ultra wide-angle lens - Canon RF Mount



[\[Download Images\]](#) (.zip file)

### Features

- Manual focus, full frame, ultra wide-angle lens
- Aspherical, Hybrid-Aspherical, Extra-low Dispersion and High Refractive lens elements to deliver clear and lively images to the sensor
- Weather sealing design for protection from external influences

The new MF 14mm F2.8 lens adopts a manual focus system with easy adjustment. You can find excellent sharpness even with the largest aperture. The 115.7° wide angle of view enables you to create exceptional images with a great feeling of depth and space from landscape to interiors and more.

### Advanced optical technology for excellent resolution

The MF 14mm F2.8 contains - ASP, H-ASP, ED and HR lenses to adjust the course of light comes and deliver clean yet lively images to the sensor. Flare and ghost effects are well-controlled by Samyang ultra-multi-coating technology.

### Wide angle photography with Samyang's bestseller

With 115.7° wide angle of view, the MF 14mm F2.8 produces images with a great feeling of depth and space from wide landscapes, interiors to wide field astrophotography. The built-in petal-shaped lens hood effectively blocks unnecessary stray light and maximizes image quality.

## **Weather sealing design for protection from external influences**

Weather sealing covers even these small spaces to effectively protect the lens from dust, light rain and snow. This protective design enables users to capture the moment outdoors in any environment, providing the dependability you need to keep shooting.

### **In the box:**

- Lens
- Lens Caps
- Lens Hood
- Lens Pouch

## **Specifications**

- **Closest Focusing Distance:** 0.28 m (0.92ft)
  - **Diagonal Angle of View:** 115.7°
  - **Dimensions:** 120.1mm
  - **Lens Construction:** 14 Elements in 10 Groups
  - **Maximum Aperture:** F2.8
  - **Minimum Aperture:** F22
  - **Mount Type:** Canon RF
  - **No. Diaphragm Blades:** 6
  - **Weather Proof:** Yes
  - **Weight:** 800g
- 

## **Need Further Support?**

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

### **Contact Us:**

- Marketing - [marketing@holdan.co.uk](mailto:marketing@holdan.co.uk)

- Sales - [sales@holdan.co.uk](mailto:sales@holdan.co.uk)
- Technical Enquiries - [techsales@holdan.co.uk](mailto:techsales@holdan.co.uk)
- Request Demo product loans - [demo@holdan.co.uk](mailto:demo@holdan.co.uk)

We value your partnership and are committed to ensuring a successful product launch.  
Thank you for your continued support.