

Samyang MF 85mm F1.4 RF

ProdCode: SAMYANG7662

Manual focus, full frame, fast aperture, telephoto lens - Canon RF Mount



[Download Images] (.zip file)

Features

- Manual focus, full frame, fast aperture, telephoto lens
- A bright F1.4 maximum aperture, perfect for low light photography
- Produces incredible, vivid colours with soft, pleasing out-of-focus areas (bokeh)
- Weather sealing design for protection from external influences

The MF 85mm F1.4 with a total of 9 elements in 7 groups. A H-ASP lens minimizes various aberrations and maximizes the image quality and contrast from center to corner even when using a wide open aperture. Applied ultra-multi-coating for low reflectivity and excellent contrast and enables high transmittance of light while minimizing flare and ghost effects. This lens is recognized as the optimal lens for beautiful bokeh with exceptional performance at wide open apertures.

Adopted special optic lenses for crystal resolution

The use of H-ASP lens for minimizing distortion extremely and various aberrations in high resolution. Flare and ghost effects are also well-controlled by ultra-multi-coating technology from Samyang.

8 curved blades, giving a near-circular aperture

With the round-shaped aperture with 8 curved blades, the MF 85mm F1.4 creates a soft mood in your photographs with beautiful bokeh, especially in shots of portrait, snap and city lights where the background is out of focus.

Manual telephoto lens

The MF 85mm F1.4 produces incredible, vivid colours and soft pleasing out-of-focus areas, providing the tool creative photographers dream of.

Weather sealing design for protection from external influences

Weather sealing covers even these small spaces to effectively protect the lens from dust and rain. This protective design enables users to capture the moment outdoors in any environment, providing the dependability you need to keep shooting.

Bright aperture of F1.4

The MF 85mm F1.4 is designed with an F1.4 bright aperture and is perfect for low light photography, particularly in portraits. Its soft bokeh does not distract from the main subject.

In the box:

- Lens
- Lens Caps
- Lens Hood
- Lens Pouch

Specifications

• Closest Focusing Distance: 1.1m (3.6ft)

• Diagonal Angle of View: Full Frame: 28.3Ëš

Dimensions: 98.7mmFilter Size: 72.0mm

• Lens Construction: 9 Elements in 7 Groups

Maximum Aperture: F1.4
Minimum Aperture: F22
Mount Type: Canon RF
No. Diaphragm Blades: 8

Weather Proof: Yes

• Weight: 730g

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing marketing@holdan.co.uk
- Sales sales@holdan.co.uk
- Technical Enquiries techsales@holdan.co.uk
- Request Demo product loans demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.