

XEEN 14mm T3.1 MFT

ProdCode: SAMYANG7975

Professional, manual focus, ultra wide-angle cine lens - Micro Four Thirds Mount



[\[Download Images\]](#) (.zip file)

Features

- Professional, manual focus, full frame, ultra wide-angle cine lens
- Features declicked gear rings in identical locations, so that changing to another lens is fast and easy
- Bright aperture and outstanding optical performance for broadcast in 4K+ resolutions

Bright T1.5 Aperture

With the T-number for bright performance, it makes it easy to take pictures at any exposure.

Minimized Flare and Ghost Effects with Ultra Multi Coating

By reducing the impact of flares and ghosting effects in your pictures while ensuring excellent image quality and contrast from the center to the periphery, it offers crystal clear, sharp image quality.

Optimal Cine Lens Design

With a 114mm barrel, FFG and stepless aperture, this is the perfect choice for shooting films.

Beautiful Bokeh with 11 Aperture Blades

Featuring 11 rounded blades, it adds an artistic touch to your pictures and creates a sense of soft dimension with incredible bokeh, perfect for out-of-focus portraits and night city landscapes.

Smooth Focus Ring

Smooth focusing ensures precise control and produces images with incredible sharpness, making it the ideal choice for indoor and night shooting.

In the box:

- Lens
- Front lens-cap
- Rear lens-cap

Specifications

- **Focal Length:** 14mm
 - **Minimum Aperture:** T3.1
 - **Mount Type:** MFT
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.

Thank you for your continued support.