

Samyang AF 24mm F1.8 FE

ProdCode: SAMYANG8013

Autofocus, full frame, compact, fast aperture wide-angle lens - Sony FE Mount



[Download Images] (.zip file)

Features

- Autofocus, full frame, compact, fast aperture wide-angle lens Sony FE Mount
- Optimised and ideally matched to Sony crop-sensor APS-C E-Mount mirrorless cameras
- Offers the perfect solution for Landscape, Indoor and Astrophotography, with super fast F/1.8 maximum aperture and 83.7° angle of view

Masterpiece for Astrophotography

This new Tiny lens will make you the master of astrophotography!

- 1. Superb resolution with minimized spherical and coma aberration
- 2. The 24mm focal length to shoot on the wide spectrum
- 3. Optimized function for astrophotography Astro-Focus Mode and LED index

Ideal Autofocus Wide-angle Prime Lens for Astrophotography

• A Compact Superb-Resolution 24mm F1.8 Prime Lens

Samyang's latest optical technology achieves stunning corner-to-corner resolution from maximum F1.8 aperture in a large aperture wide-angle prime lens. A total of 11 elements in 8 groups, with 7 special lenses(2 ASP, 3 HR, 2 ED) allow you to express your infinite creativity; especially suitable for astrophotography as you can get awesome images with minimized spherical and coma aberration.

[New] Astro-Focus Mode for Astrophotography

The AF 24mm F1.8 FE lens features a new function titled "Astro-Focus Mode" with an "LED index" for astrophotography. The "Astro-Focus Mode" can be operated through the newly-designed Focus Hold button. Once the user enters the Astro-Focus Mode, the LED index will blink once, and the focus will automatically move to the infinity position. *Users can save their own focus position with the focus hold button.

Maximized Usability

[New] Focus Hold Button & Custom Switch to Maximize Usability Customizable Focus Hold Button

Pressing this button on the lens will keep the lens locked to that focusing distance. The user can also assign other desired functions to the focus hold button through the menu setting on the camera body.

Custom Switch

Equipped with the Custom Switch, shooting and operation is more intuitive and simple. You can easily select various functions such as Aperture Control Mode or MF Mode from the Switch, and enjoy the shooting mode that suits your personal preference. *More functions will be added through firmware update in the future.

• Compact & Lightweight with Modern Design

The AF 24mm F1.8 FE weighs only 230g(8.1oz) and 71.5mm(2.8in) in length. Small size and lightweight enhance mobility when used with compact E-mount mirrorless cameras. Its matt finishing with the laser engraved font provides better readability and the tactile mounting index adds to the convenience of the users. Also features weather sealing for 5 spots to protect from light dust, rain and snow and provide the ability to capture stunning images in less than perfect conditions.

Versatility Lens for Everywhere

24mm Focal Length can Be Used for Landscapes, Indoors, and Even Snaps

The 24mm F1.8 FE lens provides a wide-angle of view of 83.7Ëš and a short minimum focusing distance of 0.19m(0.62ft). Which allows you to take photos in various environments, whether indoors or outdoors. Combined with this wide-

angle lens, you can freely create your own perspective with creativity.

• Shallow Depth of Field with Large Aperture F1.8

The AF 24mm F1.8 FE has a fast F1.8 aperture for crisp focus and beautifully blurred backgrounds. It gives you full control over depth-of-field so that you can isolate your subject and the background, and the 9-blade circular aperture which contributes smooth, creamy, natural-looking bokeh.

Advanced Fast and Quiet AF for Stills and Movies

Now Autofocus needs to consider not only how more accurately and quickly it captures images, but also how quiet and smooth it is. The AF 24mm F1.8 FE features the latest STM(Stepping Motor), a larger and heavier focus lens group can be controlled more quietly and precisely, providing excellent image quality in both photos and videos.

In the box:

- Lens
- Lens Caps
- Lens Hood
- Lens Pouch

Specifications

• Closest Focusing Distance: 0.19m (0.62ft)

• Diagonal Angle of View: Full Frame: 83.7Ëš / APS-C: 60.9Ëš

• **Dimensions:** 71.5mm / 2.8in

• Filter Size: Îl 58.0

• Lens Construction: 11 Elements in 8 Groups

Maximum Aperture: F1.8
Minimum Aperture: F22
Mount Type: Sony FE
No. Diaphragm Blades: 9

Weather Proof: YesWeight: 230g / 8.1oz

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing marketing@holdan.co.uk
- Sales sales@holdan.co.uk
- Technical Enquiries techsales@holdan.co.uk
- Request Demo product loans demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.