

SRP: £1050.00 | List: £875.00 | EAN: 8809298889388

Samyang AF 14-24mm F2.8 FE

ProdCode: SAMYANG8018

Versatile Super-Wide ZOOM Lens - FE



[\[Download Images\]](#) (.zip file)

Features

- Versatile Super-Wide ZOOM
- SUPER-Wide Zoom | SUPER-Precise | SUPER-Light
- 14mm to 24mm focal range
- **Jointly developed with Schneider-Kreuznach**
A perfect blend of German optical expertise and advanced manufacturing technology
- **Compact & Lightweight Design**
Dimensions: 88.8 x 84.0mm | Weight: 445g
- **Technological Innovation**
The world's first super-wide zoom lens compatible with Sony E mount, featuring a focal length of 14-24mm, allows for the use of front filters
- **Super Close-Up Shooting**
Minimum focusing distance of just 0.18m

*The product provided by LK Samyang under license from Jos. Schneider Optische Werke GmbH

The AF 14-24mm F2.8 FE is a super-light and compact super-wide zoom lens,

measuring only 88.8mm (3.5in) in length and weighing 445g. Even when fully zoomed out, the lens remains compact.

The lens, a remarkable joint development between Schneider-Kreuznach and LK Samyang, offers outstanding performance in every situation while maintaining a compact design.

Experience the ultimate super wide-angle zoom lens (114.2° - 84.1°), engineered for a true 14mm focal length. Perfect for capturing the beauty of landscapes, cityscapes, night skies, architecture, interiors, and environmental portraits, this lens inspires creativity in every shot.

Superb Resolution

Crisp and Clear, Even in the Dark

Experience superb resolution across the entire expansive frame—from the center to the far edges.

With an advanced optical design of 15 elements in 11 groups, it delivers exceptional sharpness even at its wide-open f/2.8.

Its effective correction of chromatic aberration and sagittal coma positions it as the go-to lens for capturing breathtaking nightscapes and astrophotography.

Super Precise

Fast, Quiet, and Accurate Autofocus

Featuring a SAMYANG linear stepping motor, this lens provides fast and silent autofocus performance. Its accurate focus tracking guarantees sharp images, even when photographing fast-moving subjects.

Super Close-Up

Go Closer, Go Bolder

With a consistent minimum focusing distance of just 0.18m from 14mm to 24mm, you can achieve up to 0.26x magnification for impactful close-up shots. An ultra-wide perspective enhances scale, making nearby objects stand out dramatically against a beautifully blurred background.

Filter Play. No Limits

This lens stands out from conventional ultra-wide zooms by allowing the easy

attachment of 77 mm front filters. This feature lets you use polarizers and ND filters to achieve desired effects and enhance image quality.

User-Friendly Features

The lens is designed with user-friendly focus and zoom rings, alongside a reliable AF/MF switch on the barrel, ensuring that you can make quick adjustments to your settings with ease.

- **Custom Button**

The default setting for the custom button is the focus lock. While you hold the button, the current focus is locked, and releasing it will disable this function. You also have the flexibility to customize this button to suit your preferred function through the camera body settings at any time.

- **Aperture Ring**

Additionally, with the Samyang Lens Manager, you can confidently use the focus ring as an aperture ring in autofocus (AF) mode, giving you enhanced control and flexibility in your photography.

Easy Firmware Update

The lens is equipped with a USB port that allows for seamless firmware updates via a direct cable connection. This ensures easy access to the latest software features and performance enhancements.

Weather Sealing

The lens features weather-sealing, providing protection against water droplets, light rain, snow, and dust. *The lens is not guaranteed to be dust- and drip-resistant in all situations and under all conditions.

In the box:

- Lens
- Lens Caps
- Lens Hood
- Lens Pouch

Specifications

- **AF/MF Mode Switch:** Yes
- **Closest Focusing Distance:** 0.18m
- **Diagonal Angle of View:** Full Frame: Wide: 114.2° / Tele: 84.1° | APS-C:

Wide: 91.7° / Tele: 62°

- **Dimensions:** 98.63mm
 - **Filter Size:** Ø 77
 - **Focal Length:** 14-24mm
 - **Lens Construction:** 15 Elements in 11 Groups
 - **Maximum Aperture:** 2.8
 - **Minimum Aperture:** 22
 - **Mount Type:** Sony FE
 - **No. Diaphragm Blades:** 9
 - **Weather Proof:** Yes
 - **Weight:** 445g (without lens cap, hood)
-

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch. Thank you for your continued support.