

SLIK PRO 700DX

ProdCode: SLI3365

Full size tripod with 4 way head



[\[Download Images\]](#) (.zip file)

Features

- Full size tripod with 4 way head
- **SLIK Super Alloy A.M.T.**
A.M.T. alloy has a 40% greater strength to weight ratio than standard aluminum, meaning the legs are lighter weight yet stronger than the standard metal used in most of today's tripods
- **Head mounting screw**
Corresponding to both U1/4 and U3/8 head mounting screws
- **3-steps leg angle adjustment**
Leg angle adjustable from a high position to a low position
- **Lever-type leg lock**
Robust leg lock system that can operate quickly and easily
- **Plastic lever-type leg lock**
Compact and light-weight plastic leg lock.

SLIK PRO 700DX can handle the weight of a professional full-frame DSLR camera with a heavy long telephoto lens. It offers photographers the strength and stability they need on flat and uneven surfaces. SLIK's exclusive AMT super titanium alloy legs

make the PRO 700DX tripod rock steady yet lighter than its competitors with similar max weight capacities.

“What’s so great about AMT alloy?” It has 40% greater strength to weight ratio than standard aluminum. The legs weigh less and are stronger than the standard aluminum used in most of today’s tripods. All at a price you cannot beat.

Note, the PRO 700DX is full-sized, with just the legs extended and the center column down the camera is already at eye level for most people. Raise the smooth gearless center column to its maximum height and your camera is 1,900mm off the ground!

SLIK was also thinking ahead when it designed the head and quick release system. Instead of being squared off and attaching just one way like other quick releases, the PRO 700DX quick release is circular so the camera can mount quickly facing in any direction you choose.

In the box:

- 700 DX tripod
- user manual and case

Specifications

- **Closed Length:** 760mm
- **Leg Lock Type:** Flip-Lever Lock
- **Leg Sections:** 3
- **Maximum Height:** 1,900mm
- **Minimum Height:** 395mm
- **Weight:** 3,670g

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
 - Sales - sales@holdan.co.uk
 - Technical Enquiries - techsales@holdan.co.uk
 - Request Demo product loans - demo@holdan.co.uk
-

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.