

Sonnet Allegro USB-C PCIe

ProdCode: SONUSB3C2PME

Dual-Port SuperSpeed+ USB 3.1 Gen 2 Charging PCIe 3.0 Adapter Card



[\[Download Images\]](#) (.zip file)

Features

- **Two SuperSpeed USB-C 10Gbps Ports** - Adds two USB-C 10Gbps ports to your Mac Pro®, Windows® PC, or Linux® computer with PCIe slots; or Thunderbolt™ to PCIe card expansion system
- **Amazing Performance** - Transfers data up to 960 MB/s from a single drive, and up to 925 MB/s from each of two drives simultaneously
- **Super-Powered Ports** - Supports USB-C bus-powered SSD, SSD RAID, and hard drive devices with up to 15W (3.0A) power per port
- **Protected Ports** - Independent power regulation isolates each port to prevent cross-coupled power glitches that may cause accidental disconnects
- **Resettable Fuses** - Device overcurrent fuses are resettable—just shut down your machine to reset a fuse without permanent damage to card or computer
- **PCIe Data Link Auto-Negotiation** - Card auto-negotiates one lane data link in a PCIe 3.0 slot and two lanes in a PCIe 2.0 slot, ensuring full 10Gbps performance in either generation PCIe slot
- **Broad USB Device Support & Compatibility** - Supports storage, hubs, and other USB-IF compliant USB devices
- **Supports Hot-Swappable Device Connection** - Plug in and disconnect

peripherals without shutting off your computer

- **Add USB 3.2 Gen 2 to Thunderbolt Expansion Systems** - Add two SuperSpeed USB-C 10Gbps ports to Thunderbolt to PCIe card expansion systems
- **Easy Installation** - Quick and easy user installation into any available PCIe slot

Mac Compatibility

- Mac Pro® 3,1⁽²⁾, 4,1, 5,1, or 7,1 (2019 Mac Pro)
- macOS 10.12.6+⁽³⁾
- macOS Catalina compatible⁽⁴⁾

Windows Compatibility

- Computer with PCIe slots
- Windows 10, 8.1, 7
- Windows Server 2016, 2012, 2008 (64-bit editions)

Linux Compatibility

- Computer with PCIe slots
- Linux 5.1.9+ Kernel (LTS version only)

Thunderbolt Compatibility

- Supports USB 3.1 peripherals on a Mac or Windows PC when installed in a Thunderbolt 2 or Thunderbolt 3 PCIe expansion system⁽⁵⁾
- macOS 10.12.6+⁽³⁾
- Windows 10 Build 1703 or newer (64-bit edition)

Technical Notes

1. Product complies with USB 3.2 Gen 2 specification, which supersedes USB 3.1 Gen 2. Product package may still list USB 3.1 Gen 2.
2. Performance may be limited by PCIe 1.1 slot bandwidth.
3. macOS 10.12 erroneously reports a 5Gbps connection when connected at 10Gbps.
4. Must authorize charging support kernel extension in Security and Privacy System Preferences. (Unlock, then allow.)
5. Not compatible with Thunderbolt 1 PCIe Expansion systems.

Amazing USB 3.2 Gen 2 Performance

Add Two USB-C 10Gbps Ports to Mac Pro, Windows, and Linux Computers with PCIe Slots; and Thunderbolt to PCIe Card Expansion Systems

When it comes to supporting the fastest USB drives available, your computer's USB 3.0 ports are perfectly adequate...for connecting peripherals that don't depend on the ultimate USB 3.2 speeds. However, common USB 3.0 ports can be underachievers—at 5Gbps, they can't support the maximum performance from many storage devices, and may not provide enough power to enable them to operate. You need SuperSpeed USB-C®.

The Allegro™ USB-C PCIe⁽¹⁾ card supports data transfers at up to twice as fast as USB 3.0, and can also deliver 15W of power per port to USB-C bus-powered devices (three times the 4.5W specified in the USB 3.0 spec). Don't settle for mediocre performance or insufficient power for the fastest SSDs—install an Allegro USB-C card to instantly add two Gen 2 USB 3.2 ports to your system and take full advantage of today's SSD performance.

The Sonnet Speed Advantage

Sonnet's Allegro USB-C PCIe card supports data transfers up to 960 MB/s when connected to a USB-C Gen 2 SSD RAID device—transfers complete in half the time compared with using a USB 3.0 2.5-inch SSD. And unlike other 2-port USB-C cards, the Allegro card provides 10Gbps bandwidth per port, enabling it to support simultaneous 925 MB/s data transfers from each of two separate SSDs! Other cards limit simultaneous transfers to 550 MB/s, a significant disadvantage when time is of the essence.

Full Power

Sonnet specially engineered the Allegro USB-C card to provide 15W of power through each of its ports. The ports communicate with the host that 3A of VBUS current is available, enabling this Sonnet solution to support USB-C bus-powered SSDs and SSD RAID devices that need 15W during demanding write operations.

Regulates Power to Each Port

Ordinary USB-C adapter cards deal with power delivered through the ports as an afterthought, requiring an additional power source for the card and providing little regulation. The Allegro is no ordinary adapter card. The card regulates its own power without requiring a back-of-the-card power cable connection, thus enabling full compatibility in any computer or Thunderbolt expansion system that doesn't have these power connectors available.

Sonnet's Allegro PCIe card is unique in regulating power to each port independently, giving each one protection from power glitches on the adjacent port. Without this protection (such as found on an ordinary card), connects and disconnects of one device may cause auto-disconnects of the other.

Resettable Fuses

The Allegro features a resettable fuse on each port to protect the card and computer should there be a cable or peripheral failure. Should a fuse trip on the Sonnet card, you can reset it simply by shutting down the computer.

Add USB 3.2 to Your Thunderbolt Mac

Got a Mac with a Thunderbolt connection, but no PCIe slot? The Allegro is ideal for use in Sonnet's Thunderbolt 2 and Thunderbolt 3 to PCIe card expansion systems, including Echo Express™ and xMac™ desktop and rackmount systems.

Easy Installation

This Allegro USBC-C PCIe installs easily into any PCIe x4 (mechanical) slot; both low-profile and full-height mounting brackets are included. The Sonnet card features hot-pluggable and hot-swappable device connection support with automatic device configuration, and works with all USB-IF compliant USB peripherals.

In the box:

- Allegro USB-C PCIe Adapter Card with attached full-height mounting bracket
- Low-profile mounting bracket
- Documentation

Need Further Support?

If you have any questions or require additional support regarding this product release, please do not hesitate to contact us. Our team is here to assist you with any inquiries or provide further information or marketing collateral as needed.

Contact Us:

- Marketing - marketing@holdan.co.uk
- Sales - sales@holdan.co.uk
- Technical Enquiries - techsales@holdan.co.uk
- Request Demo product loans - demo@holdan.co.uk

We value your partnership and are committed to ensuring a successful product launch.
Thank you for your continued support.